



**MULTI CONSTRUCTION[®]
CHEMICALS**



DECORATIVE FLOORING

www.mccsa.co.za

MULTI SL MARBLE



DESCRIPTION

MULTI SL MARBLE is a pigmented, cementitious screed for use as a decorative finish. The pigmentation is supplied in the highly concentrated liquid polymer matrix which is added to the MULTI SL MARBLE SCREED base on hydration with water. The screed base is shrinkage compensated, floatable and very hard setting to a marble-like finish for exceptional wear resistance.

TYPICAL APPLICATIONS

As a decorative, hard wearing finish for interior and exterior applications, MULTI SL MARBLE SCREED is ideal for domestic flooring and light commercial use.

ADVANTAGES

- Attractive
- Hard wearing
- Variety of colours
- Mottled effect on screeding
- Floatable (wood or sponge)
- Highly densified marble like finish
- Can be sealed as matt or gloss finish





SL MARBLE
CAPPUCCINO




SL MARBLE
STONE GREY




SL MARBLE
HUSKY WHITE



SL MARBLE
WHITE



SL MARBLE
MID GREY



SL MARBLE
CHARCOAL



SL MARBLE
MUD HUT



SL MARBLE
ASH GREY



SL MARBLE
BLEACHED ROPE

Due to the variability of computer and printer settings, we cannot guarantee an exact colour match between the actual product colour and the colour as seen on-screen or when printed.

STONE CARPET

Natural Quartz Flooring

STONE CARPET is a resin bound natural stone system to produce an attractive internal and external floor finish which is hardwearing and easy to maintain.

FEATURES:

- Decorative/Aesthetically Pleasing
- Hardwearing & Durable
- Range of Natural Aggregates
- Low Maintenance
- Anti Slip



IDEAL USAGE:

- Retail Outlets
- Themed Areas
- Swimming Pool Surrounds
- Showrooms
- Entertainment Areas



STAR DUST



MILKY WAY



MOONLIGHT



SPACE GREY



COSMIC DUST



METEOR



NEBULA



ASTRO



GALAXY



MIDNIGHT

FLOOR RANGE

MULTI PMC TERRAZZO

MULTI PMC TERRAZZO is a cement based, polymer modified screed for use as a high early strength topping with enhanced flexural strength and thermal shock resistance. Controlled setting and workability characteristics produce a non-shrink pre-mixed screed for monolithic floor topping. It comes in a variety of screed and stone colours for decorative finishing.



MULTI UV SEALER | DESCRIPTION

MULTI UV SEALER is a solvent based polyurethane sealer for use on walls and floors where a high chemical resistance, abrasion resistance, stain resistance and non-yellowing sealing is required.

TYPICAL APPLICATIONS

For sealing over indoor and outdoor surfaces where high abrasion resistance, chemical resistance and UV stability is required.

MULTIPOXY 1201 & 1202 | DESCRIPTION

MULTIPOXY 1201 & 1202 is an epoxy flooring screed at 1mm or 2mm nominal thickness with good chemical resistant properties which gives a tough but resilient flooring system, with reasonable colour stability.

TYPICAL APPLICATIONS

For use in commercial and industrial applications where high gloss and colour are required with seamless professional finishing. Used in car showrooms, offices, kitchens, laboratories, shopping areas, shop floors and domestic applications.

				
WHITE	BEIGE Pantone 7401C	RED Pantone 200C	BLUE Pantone 7461C	YELLOW Pantone 107C
				
MID GREEN Pantone 347C	LIGHT GREY Pantone 428C	MID GREY Pantone 430C	DARK GREY Pantone 424C	CHARCOAL Pantone 425C

Due to variability of computer and printer settings, we cannot guarantee an exact colour match between the actual product colour and the colour as seen on-screen or when printed.



MULTI CONSTRUCTION[®] CHEMICALS

ABOUT US

We are a technology driven company focusing on the construction and flooring industry. We have been manufacturing and supplying South Africa's major growth industries for nearly three decades with products, technical experience, and service.

We draw our raw material both locally and internationally, giving us the capability of developing cost effective, tailored solutions for local conditions. We have local research and developing capabilities, localised manufacturing facilities and quality assurance programmes, backed by a highly motivated team.

We localise all our manufacturing, and all products are tested to comply with the stringent quality assurance programmes to meet local and international testing standards. Our products are guaranteed when used in accordance with correct product application and instruction procedures.

CONTACT DETAILS

CAPE TOWN OFFICE

Office: 021 934 0373 | Email: saleswc@mccsa.co.za
Address: MCC Western Cape, 27 Reuben Kaye Road, Parow Industrial, 7493

KWAZULU-NATAL OFFICE

Sales: Gerard Young | 083 653 5178
Office: 031 701 2619 | Fax: 031 701 2051 | Email: natal@mccsa.co.za
Address: Unit 7 Marlmead, 4 Reed Place, Maxmead, Pinetown
