


CONSTRUCTION



SKIMMING & PLASTERING

Professional finishing to walls and off shutter concrete can make a good build great. As well as providing protection against environmental factors, our range of plasters and skimming compounds will bring functionality and aesthetic quality to external and internal walls.

- Multi Concrete Surface Dressing
 Decorative concrete surface slurry
- Multi Skimcoat 409
 Cementitious skim coat for walls
- Multi Feather Finish
 Fast setting cement based feathering compound
- Multi Lite
 Finishing Plaster
- Multi Grout 801 Stadium Grey (SG)
 Off shutter concrete finish

- Skimcoast Stadium Grey
 Off shutter coloured skim coat for walls
- Multi Plast 1038
 Structural repair plaster
- Multi Marble Plaster
 Smooth pigmented plaster
- Multi Plaster Skim Exterior
 White skimming and crack filling compound





WATERPROOFING PRODUCTS

Waterproofing is the process of making a structure waterproof or water-resistant so that it remains relatively unaffected by the ingress of water under adverse conditions.

- Multi Hyseal 211 Flex
 Cementious waterproofing slurry
- Multi Bit 1702
 Bitumen waterproof coating
- Multi Aquastop 1035
 Rapid set waterproofing slurry
- Multi Expansion Tape
 Solid active joining strip
- Multi Metal Primer
 Acrylic cement metal barrier

- Multi Hyseal 310
 Flexible waterproofing slurry
- Multi Silicoat 1230
 Water-based penetrating sealer
- Multi Flex Bandage
 Sealing system for irregular joints
- Polyester Membrane
 Tight woven fabric membrane
- Multi Flex 1205
 Mortar waterproofing bonding agent

NON-SHRINK GROUTS

Non-Shrink grout is a hydraulic cement grout that, when hardened under stipulated test conditions, does not shrink, so its final volume is greater than or equal to the original installed volume.

- MultiGrout CEM60
 Rapid set non-shrink grout
- MultiGrout 815NP
 Bulked packing non-shrink grout
- MultiGrout 820SG
 GranoScreed non-shrink grout

- MultiGrout 800N
 Flowable non-shrink grout
- MultiGrout 801GP
 Pourable non-shrink grout
- MultiGrout 803WP
 Water-resistant non-shrink grout

CONCRETE TOPPINGS & LEVELLING SCREEDS

Leveling Screeds are used to form a flat and level surface with adequate strength and resistance to indentation on which overlays can be installed. Concrete toppings increase the ability of the floor to withstand impact and load bearing capacities by diversifying stress over the surface of the substrate.

- Multi Durascreed 50
 High strength industrial topping
- Multi Armor Floor 100
 Metallic dry shake floor hardener
- Multi Durashake 60
 Dry shake floor hardener
- Multi Armor Screed 120
 Iron infused floor screed
- Multi Mortar Repair Kit
 Structural repair mortar
- Multi Plaster Bond
 Ready to use bonding agent

- Multi Bond 1070
 Concentrated bonding agent
- Multi Floor Coat 1055
 Concrete surface densifier
- Multi Feather-Flow Light
 Premium self-levelling screed
- Multi Feather-Flow Super
 High strength self-levelling screed
- Multi Feather-Flow Fast
 Rapid set self-levelling screed





EPOXY/POLYURETHANE ADHESIVES

Epoxies are used in a wide array of industrial applications because of their toughness, strong adhesion, chemical resistance and other specialized applications.

- Multi Poxy 1927
 General purpose adhesive paste
- Multi Poxy 1306
 Liquid crack injection
- Multi Poxy 1304
 Pourable dowel adhesive
- Multi Seal PU 25
 Single component gun grade joint sealer

- Multi Poxy 1305
 Wet to dry primer for concrete
- Multi Poxy 1309
 Road stud adhesive
- Multi Fix
 Dowel anchoring and crack filling

RELEASE OILS & CURING

A curing compound is a liquid substance that is added as a surface coating on freshly installed concrete used to reduce the loss of water to create conditions favourable to concrete curing.

- Multi Cure 200
 Water based curing compound
- Multi Cure 300W
 White resin based curing compound

- Multi Cure 300C
 Resin based curing compound
- Multi Easy Strip 342
 Diesel based release agent

CONCRETE ADMIXTURES

Admixtures enhance concrete mixtures with added workability, durability or early and final strength.

- Multi Flow 600
 Water reducing set retarder
- Multi Flow 604
 Concrete set accelerator

Multi Surface Retarder
 Surface retarding agent

CAPE TOWN OFFICE

Office: 021 934 0373 | Email: saleswc@mccsa.co.za Address: MCC Western Cape, 27 Reuben Kaye Road, Parow Industrial, 7493

KWAZULU-NATAL OFFICE

Sales: Gerard Young | 083 653 5178

Office: 031 701 2619 | Fax: 031 701 2051 | Email: natal@mccsa.co.za

Address: Unit 7 Marlmead, 4 Reed Place, Maxmead, Pinetown